| 1          | WITH CONTROL RESPONSIVE TO SENSED | 39       | COMPRESSING AND INDIRECT COOLING |
|------------|-----------------------------------|----------|----------------------------------|
|            | CONDITION                         |          | OF GASEOUS FLUID MIXTURE TO      |
| 2          | .Electric or electrostatic field  | 4.0      | SEPARATE                         |
|            | (e.g., electrostatic              | 40<br>41 | .And use of heat absorbing agent |
|            | precipitation, etc.)              |          | .And solid sorption              |
| 3          | Concentration sensed              | 42       | .And liquid contact (e.g.,       |
| 4          | Temperature sensed                | 4.2      | scrubbing, sorption, etc.)       |
| 5          | Sparking sensed                   | 43       | SELECTIVE DIFFUSION OF GASES     |
| 6          | Current sensed                    | 44       | .Selective diffusion of gases    |
| 7          | Voltage sensed                    | 4.5      | through immobilized liquid       |
| 8          | .Concentration sensed             | 45       | .Selective diffusion of gases    |
| 9          | pH sensed                         |          | through substantially solid      |
| 10         | Humidity sensed                   |          | barrier (e.g., semipermeable     |
| 11         | Flow of fluid mixture to sorber   | 1.0      | membrane, etc.)                  |
|            | stopped or diverted to other      | 46       | Degasification of liquid         |
|            | equipment, or sorbent             | 47       | Nitrogen or nitrogen containing  |
|            | regenerated                       | 4.0      | compound permeates barrier       |
| 12         | Gas flow rate modified            | 48       | Halogen containing compound      |
| 13         | Sorbent flow rate modified        | 4.0      | permeates barrier                |
| 14         | .Temperature sensed               | 49       | Sulfur containing compound       |
| 15         | And pressure sensed               | F.0      | permeates barrier                |
| 16         | Modification of flow rate of      | 50       | Organic compound permeates       |
|            | liquid which is added to gas      |          | barrier                          |
| 17         | Cooling                           | 51       | Carbon dioxide or carbon         |
| 18         | Heating                           | F.0      | monoxide permeates barrier       |
| 19         | .Pressure sensed                  | 52       | Water vapor permeates barrier    |
| 20         | Apparatus cleaned                 | 53       | Helium permeates barrier         |
| 21         | Sorbent regenerated               | 54       | Oxygen permeates barrier         |
| 22         | Gas flow rate modified            | 55       | Hydrogen permeates barrier       |
| 23         | .Gas flow rate sensed             | 56       | Elemental metal or alloy         |
| 24         | .Liquid level sensed              |          | barrier                          |
| 25         | WITH RECORDING OR SIGNALING       | 57       | ELECTRIC OR ELECTROSTATIC FIELD  |
|            | CONDITION                         |          | (E.G., ELECTROSTATIC             |
| 26         | WITH TIMING OF OPERATION          |          | PRECIPITATION, ETC.)             |
| 27         | MAGNETIZED PARTICLE BED           | 58       | .With addition of solid, gas, or |
| 28         | MAGNETIC SEPARATION               |          | vapor                            |
| 29         | SOUND WAVES USED                  | 59       | Electrode treating (e.g.,        |
| 30         | .Degasification of liquid         |          | coating, cleaning, etc.)         |
| 31         | DIFFERENCE IN MOLECULAR VELOCITY, | 60       | Heating or cooling               |
| -          | DENSITY, OR MOMENTUM OF GASES     | 61       | Solid is electrically            |
|            | USED                              |          | conducting                       |
| 32         | .Passing gases through nozzle     | 62       | Agglomerating gas-borne          |
| 33         | Directing gas streams toward      |          | particles                        |
|            | one another                       | 63       | .And nonelectrical separation of |
| 34         | .Centrifugal force                |          | fluid mixture                    |
| 35         | Created by rotating equipment     | 64       | Liquid addition to gaseous       |
| 36         | LIQUID-SOLID SLURRY USED          |          | fluid mixture                    |
| 37         | Organic compound removed from     | 65       | Liquid addition precedes         |
| <i>J</i> / | gas                               |          | electrical precipitation         |
| 38         | .Halogen containing compound      | 66       | With heating or cooling          |
| 50         | removed from gas                  | 67       | By heating or cooling            |

| 68  | Including cleaning or regeneration of separating              | 96       | Plural pressure varying steps (e.g., pressure swing |
|-----|---------------------------------------------------------------|----------|-----------------------------------------------------|
|     | means (e.g., particulate bed                                  | 0.7      | adsorption, etc.)                                   |
| 69  | filter, deflector, etc.)Distinct separation step              | 97<br>98 | Sweep gas usedFeed gas or constituent               |
| 0,5 | precedes electric or                                          | 90       | thereof is sweep gas                                |
|     | electrostatic treatment                                       | 99       | With heating or cooling                             |
| 70  | Distinct separation step                                      | 100      | Stepped pressure reduction                          |
|     | follows electric or                                           | 101      | Vacuum applied                                      |
|     | electrostatic treatment                                       | 102      | Vacuum applied                                      |
| 71  | .With addition of liquid to                                   | 103      | Stepped pressure reduction                          |
|     | gaseous fluid mixture                                         | 104      | Sweep gas used                                      |
| 72  | Vaporization of liquid                                        | 105      | Feed gas or constituent                             |
| 73  | .With heating or cooling                                      |          | thereof is sweep gas                                |
| 74  | .With cleaning of collector                                   | 106      | With heating or cooling                             |
|     | electrode                                                     | 107      | .Moving sorbent                                     |
| 75  | By liquid flushing                                            | 108      | Fluidized bed                                       |
| 76  | By scraping or vibrating                                      | 109      | Having gravity flow of sorbent                      |
| 77  | .Continuously moving electrode                                |          | from zone to zone                                   |
| 78  | .Including baffling, deflection,                              | 110      | Gravity flow of sorbent from                        |
|     | or restriction of gas flow                                    |          | zone to zone                                        |
| 79  | .Plural separate stages or zones                              | 111      | Sweep gas used                                      |
|     | (e.g., separate ionization and                                | 112      | Steam is sweep gas                                  |
| 0.0 | collection regions, etc.)                                     | 113      | Rotating housing containing                         |
| 80  | Pulsing or time-varying                                       |          | fixed sorbent or rotating                           |
|     | electric field (e.g., AC,                                     |          | plurality of housings                               |
| 81  | pulsed DC, etc.)                                              | 114      | .With plural indirect heat                          |
| 01  | .Pulsing or time-varying electric field (e.g., AC, pulsed DC, |          | transfer steps on solid                             |
|     | etc.)                                                         |          | sorbent or gaseous fluid                            |
| 82  | CHROMATOGRAPHY                                                | 115      | mixture or constituent thereof                      |
| 83  | .Liquid supported on surface of                               | 115      | Heating and cooling                                 |
| 03  | capillary column                                              | 116      | .Inorganic gas or liquid particle                   |
| 84  | .Liquid supported on particulate                              |          | <pre>sorbed (e.g., vapor, mist, etc.)</pre>         |
|     | packing                                                       | 117      | Water sorbed                                        |
| 85  | .Including use of gas flow                                    | 118      | Plural separating treatments                        |
|     | distributor in column                                         | 110      | of gas by solid sorbent to                          |
| 86  | .Plural separate columns                                      |          | remove water                                        |
| 87  | .With heating or cooling                                      | 119      | And regeneration of any solid                       |
| 88  | .Specific column packing or                                   |          | sorbent                                             |
|     | sorbent material (e.g.,                                       | 120      | Heating or cooling                                  |
|     | particle size, composition,                                   | 121      | And regeneration of solid                           |
|     | etc.)                                                         |          | sorbent                                             |
| 89  | .Injection, per se, without                                   | 122      | Sweep gas used                                      |
|     | separation                                                    | 123      | Hot sweep gas                                       |
| 90  | SOLID SORPTION                                                | 124      | And cooling of sweep gas                            |
| 91  | .Soluble or deliquescent material                             | 125      | And cooling of solid                                |
|     | used                                                          |          | sorbent                                             |
| 92  | .And liquid contact (e.g.,                                    | 126      | By heating                                          |
| 0.2 | scrubbing, sorption, etc.)                                    | 127      | Noble gas sorbed                                    |
| 93  | Sweep gas used on solid sorbent                               | 128      | Nitrogen containing compound                        |
| 94  | And recycle or reuse of contact                               |          | sorbed                                              |
| 0.E | liquid for further contact                                    | 129      | Nitrogen oxide sorbed                               |
| 95  | .Including reduction of pressure                              |          |                                                     |

| 130              | Nitrogen sorbed                 | 165  | And heating                                        |
|------------------|---------------------------------|------|----------------------------------------------------|
| 131              | Halogen or halogen containing   | 166  | Liquid recycled or reused                          |
|                  | compound sorbed                 | 167  | Vaporized component of                             |
| 132              | Chlorine or chlorine            |      | contact liquid is stripping                        |
|                  | containing compound sorbed      |      | gas                                                |
| 133              | Metal or metal containing       | 168  | Steam is stripping gas                             |
|                  | compound sorbed                 | 169  | Liquid recycled or reused                          |
| 134              | Mercury sorbed                  | 170  | Air is stripping gas                               |
| 135              | Sulfur containing compound      | 171  | Inert stripping gas                                |
|                  | sorbed                          | 172  | By reduction of pressure (e.g.,                    |
| 136              | Hydrogen sulfide sorbed         | _,_  | flashing, etc.)                                    |
| 137              | Sulfur dioxide or sulfur        | 173  | And heating                                        |
| 20,              | trioxide sorbed                 | 174  | Liquid recycled or reused                          |
| 138              | Oxygen or ozone sorbed          | 175  | Vacuum applied                                     |
| 139              | Carbon dioxide sorbed           | 176  | Removed gas recycled                               |
| 140              | Carbon wonoxide sorbed          | 177  | 5 -                                                |
| 141              |                                 |      | Liquid recycled or reused                          |
| 1 <del>4</del> 1 | Organic gas or liquid particle  | 178  | By heating                                         |
|                  | sorbed (e.g., vapor, mist,      | 179  | Liquid recycled or reused                          |
| 1.40             | etc.)                           | 180  | Liquid cooling step before                         |
| 142              | Halogen containing compound     |      | being recycled                                     |
| 1.40             | sorbed (e.g., phosgene, etc.)   | 181  | Sulfur compound removed                            |
| 143              | Hydrocarbon sorbed              | 182  | Halogen compound removed                           |
| 144              | Alkene sorbed                   | 183  | Carbon dioxide removed                             |
| 145              | Alkyne sorbed (e.g.,            | 184  | Organic compound removed                           |
|                  | acetylene, etc.)                | 185  | By liquid flow modifying or                        |
| 146              | Gasoline sorbed                 |      | mechanical agitating                               |
| 147              | Benzene ring containing         | 186  | Liquid recycled or reused                          |
|                  | compound sorbed                 | 187  | .And recycle or reuse of contact                   |
| 148              | .And regeneration               |      | liquid for further contact                         |
| 149              | LIQUID CONTACTING (E.G.,        | 188  | After separation of liquid from                    |
|                  | SORPTION, SCRUBBING, ETC.)      |      | contact liquid                                     |
| 150              | .Including foaming of liquid to | 189  | And separation of solid from                       |
|                  | aid in the separation           |      | contact liquid                                     |
| 151              | .Mechanical agitation of liquid | 190  | By liquid-liquid extraction or                     |
|                  | body to contact gaseous fluid   |      | formation of azeotrope                             |
|                  | mixture                         | 191  | By stripping with gas                              |
| 152              | .Coagulating or flocculating    | 192  | By reduction of pressure                           |
|                  | agent                           |      | (e.g., flashing, etc.)                             |
| 153              | .Hydrate inhibitor              | 193  | By heating (e.g., fractional                       |
| 154              | .Surfactant or wetting agent    |      | distillation, etc.)                                |
| 155              | .Defoaming or antifoaming agent | 194  | Indirect heat exchange                             |
| 156              | .And degasification of a liquid | 195  | After separation of solid from                     |
| 157              | Defoaming                       | 100  | contact liquid                                     |
| 158              | Degasification step occurs      | 196  | By filtration                                      |
| 200              | first, with removed gas         | 197  | By gravity separation                              |
|                  | subsequently contacted by       | 198  |                                                    |
|                  | liquid                          | 190  | And deflection to remove liquid particles from gas |
| 159              | By stripping with gas           | 100  | _                                                  |
| 160              | And reduction of pressure       | 199  | Liquid contact in plural serial                    |
| 100              | (e.g., flashing, etc.)          | 200  | stages                                             |
| 161              | And heating                     | 200  | Removal of solid or liquid                         |
| 162              | Steam is stripping gas          | 0.01 | particles from gas                                 |
| 163              | Liquid recycled or reused       | 201  | Reduction of pressure during                       |
| 164              | Feed gas or constituent         |      | liquid contact                                     |
| TOT              | thereof is stripping gas        |      |                                                    |
|                  | cuereor is scribbing das        |      |                                                    |

| 202   | Removal of solid or liquid              | 234            | Metal or metal containing        |
|-------|-----------------------------------------|----------------|----------------------------------|
| 202   |                                         | 234            | compound sorbed                  |
| 203   | particles from gasReduction of pressure | 235            | Sulfur or sulfur containing      |
| 203   | _                                       | 233            | compound sorbed                  |
| 204   | .And recycle of gas for further contact | 236            | Carbon dioxide sorbed            |
| 205   |                                         | 237            |                                  |
| 205   | .And separation of solid from           | 237            | Organic gas, liquid particle, or |
| 206   | contact liquid                          |                | solid particle sorbed (e.g.,     |
| 206   | .And separation of liquid from          | 238            | vapor, mist, dust, etc.)         |
| 207   | contact liquid                          | 230            | Alkyne sorbed (e.g., acetylene,  |
| 207   | By stripping with gas                   | 220            | etc.)                            |
| 208   | By reduction of pressure (e.g.,         | 239            | Cyclic compound sorbed           |
| 000   | flashing, etc.)                         | 240            | Alkene sorbed                    |
| 209   | By heating (e.g., fractional            | 241            | DEGASIFICATION OF LIQUID         |
| 0.1.0 | distillation, etc.)                     | 242            | .Defoaming                       |
| 210   | On surface extending mass               | 243            | .Plural successive degassing     |
| 211   | Particulate media, fibrous              |                | treatments                       |
|       | media, or packing elements              | 244            | Boiler feed water degassing      |
| 212   | And cleaning of particulate             | 245            | By stripping with gas            |
|       | media, fibrous media, or                | 246            | And reduction of pressure        |
|       | packing elements                        |                | (e.g., flashing, etc.)           |
| 213   | Apertured partition member              | 247            | By reduction of pressure (e.g.,  |
| 214   | .And filtration of gas                  |                | flashing, etc.)                  |
| 215   | Including movement of filter            | 248            | And liquid flow modifying or     |
| 216   | .And deflection                         |                | mechanical agitating             |
| 217   | Liquid is in form of curtain            | 249            | And heating                      |
| 218   | Including movement of deflector         | 250            | And heating                      |
| 219   | Including rotation of liquid,           | 251            | By heating                       |
|       | gaseous fluid mixture, or gas-          | 252            | And liquid flow modifying or     |
|       | liquid mixture through 360              |                | mechanical agitating             |
|       | degrees in stationary                   | 253            | .Emulsion breaking or multiple   |
|       | apparatus                               |                | liquid separating                |
| 220   | With heating or cooling                 | 254            | .And subsequent handling of      |
| 221   | Deflection in plural serial             |                | evolved gas, stripping gas, or   |
|       | stages                                  |                | residue liquid                   |
| 222   | Using diverse type deflectors           | 255            | Evolved gas removed by sweep     |
| 223   | .In plural serial stages                |                | gas                              |
| 224   | Liquid sprays                           | 256            | For indirect heat exchange       |
| 225   | With heating or cooling                 | 257            | Gas condensed                    |
| 226   | .Gaseous fluid mixture discharged       | 258            | Gas recycled or further          |
|       | against or beneath surface of           |                | separated                        |
|       | liquid body                             | 259            | Liquid further separated         |
| 227   | .With heating                           | 260            | .By liquid flow modifying or     |
| 228   | .With cooling                           |                | mechanical agitating             |
| 229   | Cooling before liquid                   | 261            | Centrifugal force                |
|       | contacting                              | 262            | Impinging on baffle              |
| 230   | .Inorganic gas, liquid particle,        | 263            | .By stripping with gas           |
|       | or solid particle sorbed                | 264            | Steam is stripping gas           |
|       | (e.g., vapor, mist, dust,               | 265            | Nitrogen is stripping gas        |
|       | etc.)                                   | 266            | .By reduction of pressure (e.g., |
| 231   | Water sorbed                            | - <del>-</del> | flashing, etc.)                  |
| 232   | Nitrogen or nitrogen containing         | 267            | DEFLECTING                       |
|       | compound sorbed                         | 268            | .And filtering                   |
| 233   | Halogen or halogen containing           | 269            | .Centrifugal force               |
|       | compound sorbed                         | 270            | Created by rotating equipment    |
|       |                                         | 270            |                                  |

| 271 | Tangential gas inflow (e.g.,  |
|-----|-------------------------------|
|     | cyclone, etc.)                |
| 272 | .Tortuous flow path           |
| 273 | FILTERING                     |
| 274 | .Through particulate solids   |
| 275 | Moving bed                    |
| 276 | With cleaning of filter bed   |
| 277 | .Moving filter                |
| 278 | .With cleaning of filter      |
| 279 | By use of gas                 |
| 280 | Pulsed gas flow               |
| 281 | By use of liquid              |
| 282 | By mechanical manipulation    |
| 283 | .With heating of filter       |
| 284 | .And reduction of pressure    |
| 285 | .Coated or chemically treated |
|     | filter                        |
| 286 | .Plural separate media        |
| 287 | In series                     |
| 288 | HEAT EXCHANGING               |
| 289 | .Cold wall-hot wall thermal   |
|     | diffusion                     |
| 290 | .Condensing to solid          |
| 291 | MISCELLANEOUS                 |

## CROSS-REFERENCE ART COLLECTIONS

| 900 | SOLID SORBI | ENT    |
|-----|-------------|--------|
| 901 | .Activated  | carbon |
| 902 | .Molecular  | sieve  |
| 903 | Carbon      |        |

## FOREIGN ART COLLECTIONS

FOR CLASS-RELATED FOREIGN DOCUMENTS